

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	@ad<"19990630" and (access with rule and format\$3 and variable).clm.	US-PGPUB; USPAT	OR	ON	2007/01/20 14:35
L2	0	@ad<"19990630" and (access with rule and format\$3 and mathematical).clm.	US-PGPUB; USPAT	OR	ON	2007/01/20 14:35
L3	36	@ad<"19990630" and (access with rule and format\$3 and rule).clm.	US-PGPUB; USPAT	OR	ON	2007/01/20 14:35
L4	0	@ad<"19990630" and (access with rule and format\$3 and variable).clm.	US-PGPUB	OR	ON	2007/01/20 14:35
L5	2	@ad<"19990630" and (access with rule and format\$3 and rule).clm.	US-PGPUB	OR	ON	2007/01/20 14:35
L6	0	@ad<"19990630" and (access with rule and format\$3 and variable).clm.	US-PGPUB	OR	ON	2007/01/20 14:35
S1	1938	@ad<"19990630" and 707/10.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/20 14:34
S2	556	(@ad<"19990630" and 707/10.ccls.) and rules	US-PGPUB; USPAT	OR	ON	2003/08/26 13:01
S3	419	(@ad<"19990630" and 707/10.ccls.) and password	US-PGPUB; USPAT	OR	ON	2003/08/26 13:03
S4	275	(@ad<"19990630" and 707/10.ccls.) and manag\$5 adj data	US-PGPUB; USPAT	OR	ON	2003/08/26 13:04
S5	26	((@ad<"19990630" and 707/10.ccls.) and manag\$5 adj data) and (formula equation)	US-PGPUB; USPAT	OR	ON	2003/08/26 13:09
S6	0	@ad<"19990630" and rule with compatabil\$4 same (client remote) same server	US-PGPUB; USPAT	OR	ON	2003/08/26 13:10
S7	395	@ad<"19990630" and (client remote) same server with rule	US-PGPUB; USPAT	OR	ON	2003/08/26 13:13
S8	10	@ad<"19990630" and (client remote) same server with (download receive request) adj rule	US-PGPUB; USPAT	OR	ON	2003/08/26 13:14
S9	2703	@ad<"19990630" and database and data adj manage\$5	US-PGPUB; USPAT	OR	ON	2003/08/26 13:15
S10	388	(@ad<"19990630" and database and data adj manage\$5) and central\$5 with (rule access)	US-PGPUB; USPAT	OR	ON	2003/08/26 13:44
S11	70	((@ad<"19990630" and database and data adj manage\$5) and central\$5 with (rule access)) and internet and intranet	US-PGPUB; USPAT	OR	ON	2003/08/26 13:16
S12	428	(@ad<"19990630" and database and data adj manage\$5) and central\$5 with (rule access protocol)	US-PGPUB; USPAT	OR	ON	2003/08/26 13:45

EAST Search History

S13	165	main with remote with office	US-PGPUB; USPAT	OR	ON	2003/08/26 13:45
S14	46	main with remote with office and database	US-PGPUB; USPAT	OR	ON	2003/08/26 13:49
S15	440	@ad<"19990630" and data adj manage\$4 and access adj control and database	US-PGPUB; USPAT	OR	ON	2003/08/26 13:52
S16	101	(@ad<"19990630" and data adj manage\$4 and access adj control and database) and data adj format	US-PGPUB; USPAT	OR	ON	2003/08/26 14:09
S17	586	@ad<"19990630" and centralized adj database	US-PGPUB; USPAT	OR	ON	2003/08/26 14:16
S18	66	(@ad<"19990630" and centralized adj database) and data adj manage\$4	US-PGPUB; USPAT	OR	ON	2003/08/26 15:11
S19	5	integrated adj site adj assignments	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:20
S20	5	713/202.ccls. and @ad<"19990630" and central\$5 adj database	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:21
S21	52	(713/202.ccls. and @ad<"19990630" and database) and access adj (rule control)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:25
S22	430	@ad<"19990630" and database and centralized adj control	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:25
S23	0	@ad<"19990630" and database and centralized adj control with data adj format	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:27
S24	292	@ad<"19990630" and database and control with data adj format	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:27
S25	180	@ad<"19990630" and database and control with data adj format and central\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:29
S26	168	713/202.ccls. and @ad<"19990630" and database	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:52
S27	292	@ad<"19990630" and "713"/\$.ccls. and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:53
S28	20	@ad<"19990630" and "713"/\$.ccls. and "707"/\$.ccls. and data adj management	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:56

EAST Search History

S29	15	@ad<"19990630" and enterprise with (central\$5 adj database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 15:59
S30	159	@ad<"19990630" and remote with (central\$5 adj database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 16:30
S31	98	@ad<"19990630" and update with (central\$5 adj database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 16:37
S32	65	@ad<"19990630" and format with (central\$5 adj database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 16:53
S33	82	@ad<"19990630" and remote same locations same central\$5 adj database	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 16:55
S34	598	@ad<"19990630" and 707/201.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 16:55
S35	60	@ad<"19990630" and 707/201.ccls. and password	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 17:13
S36	2	@ad<"19990630" and database adj administrator with (change update) with (field table column row)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 17:17
S37	0	@ad<"19990630" and database adj administrator with (change update) with (enterprise company remote location)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 17:17
S38	2	@ad<"19990630" and database adj administrator with (modify change update) with (enterprise company remote location client)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 17:24
S39	63	@ad<"19990630" and central\$5 adj database with client	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/26 17:25
S40	1086	database and data adj format and (control\$4 restrict) adj access	US-PGPUB; USPAT	OR	ON	2003/08/27 10:08
S41	478	@ad<"19990630" and (database and data adj format and (control\$4 restrict) adj access)	US-PGPUB; USPAT	OR	ON	2003/08/27 10:08
S42	326	((@ad<"19990630" and (database and data adj format and (control\$4 restrict) adj access)) and central	US-PGPUB; USPAT	OR	ON	2003/08/27 10:09
S43	320	((@ad<"19990630" and (database and data adj format and (control\$4 restrict) adj access)) and central) and field	US-PGPUB; USPAT	OR	ON	2003/08/27 10:09

EAST Search History

S44	240	(((@ad<"19990630" and (database and data adj format and (control\$4 restrict) adj access)) and central) and field) and remote	US-PGPUB; USPAT	OR	ON	2003/08/27 10:09
S45	5	(((@ad<"19990630" and (database and data adj format and (control\$4 restrict) adj access)) and central) and field) and remote adj office	US-PGPUB; USPAT	OR	ON	2003/08/27 10:10
S46	32	(((@ad<"19990630" and (database and data adj format and (control\$4 restrict) adj access)) and central) and field) and remote adj database	US-PGPUB; USPAT	OR	ON	2003/08/27 10:10
S47	112	@ad<"19990630" and 707/10.ccls. and central\$4 adj database	US-PGPUB; USPAT	OR	ON	2003/08/27 10:56
S48	2946	@ad<"19990630" and database adj management adj system	US-PGPUB; USPAT	OR	ON	2003/08/27 10:56
S49	5	(@ad<"19990630" and database adj management adj system) and (set adj format)	US-PGPUB; USPAT	OR	ON	2003/08/27 10:59
S50	102	(@ad<"19990630" and database adj management adj system) and (central\$4 adj control)	US-PGPUB; USPAT	OR	ON	2003/08/27 11:08
S51	660	(@ad<"19990630" and database adj management adj system) and (administrator)	US-PGPUB; USPAT	OR	ON	2003/08/27 11:09
S52	117	(@ad<"19990630" and database adj management adj system) and (administrator with (modify change update))	US-PGPUB; USPAT	OR	ON	2003/08/27 11:17
S53	2	(@ad<"19990630" and database adj management adj system) and (administrator with (modify change update) with (format field))	US-PGPUB; USPAT	OR	ON	2003/08/27 11:09
S54	1	"5,560,005".pn.	US-PGPUB; USPAT	OR	ON	2003/08/27 11:24
S55	2804	database with (web website) with access	US-PGPUB; USPAT	OR	ON	2003/08/27 11:25
S56	566	database with (web website) with access and @ad<"19990630"	US-PGPUB; USPAT	OR	ON	2003/08/27 11:26
S57	83	(database with (web website) with access and @ad<"19990630") and (data adj format)	US-PGPUB; USPAT	OR	ON	2003/08/27 11:35
S58	0	@ad<"19990630" and database same conversion same administrator same central	US-PGPUB; USPAT	OR	ON	2003/08/27 11:35

EAST Search History

S59	1	@ad<"19990630" and database same convers\$4 same administrator same central	US-PGPUB; USPAT	OR	ON	2003/08/27 11:36
S60	50	@ad<"19990630" and database same (convers\$4 change update) same administrator same central	US-PGPUB; USPAT	OR	ON	2003/08/27 11:38
S61	2873580	@ad<"19990630"	US-PGPUB; USPAT	OR	ON	2003/08/27 15:25
S62	278	@ad<"19990630" and database same access same permission	US-PGPUB; USPAT	OR	ON	2003/08/27 13:43
S63	144	@ad<"19990630" and database same access same permission and password	US-PGPUB; USPAT	OR	ON	2003/08/27 13:58
S64	14	@ad<"19990630" and database same access same permission and receive adj permission	US-PGPUB; USPAT	OR	ON	2003/08/27 14:01
S65	11	@ad<"19990630" and database same server with sends with permissions	US-PGPUB; USPAT	OR	ON	2003/08/27 14:01
S66	552	@ad<"19990630" and database same create same delete	US-PGPUB; USPAT	OR	ON	2003/08/27 14:06
S67	227	@ad<"19990630" and database same create same delete and security	US-PGPUB; USPAT	OR	ON	2003/08/27 14:06
S68	147	@ad<"19990630" and database same create same delete and security and central	US-PGPUB; USPAT	OR	ON	2003/08/27 14:07
S69	41	(@ad<"19990630" and database same create same delete and security and central) and data adj manage\$5	US-PGPUB; USPAT	OR	ON	2003/08/27 14:07
S70	88	(@ad<"19990630" and database same create same delete and security and central) and data\$5 adj manage\$5	US-PGPUB; USPAT	OR	ON	2003/08/27 14:08
S71	86	@ad<"19990630" and database same control\$4 adj access and central adj (server database)	US-PGPUB; USPAT	OR	ON	2003/08/27 14:30
S72	1	"5552588".PN.	USPAT	OR	OFF	2003/08/27 14:47
S73	1	"5522066".PN.	USPAT	OR	OFF	2003/08/27 14:47
S74	2946	@ad<"19990630" and database adj management adj system	US-PGPUB; USPAT	OR	ON	2003/08/27 14:59
S75	13	"6029160".URPN.	USPAT	OR	ON	2003/08/27 14:48
S76	42	(@ad<"19990630" and database adj management adj system) and conform\$5 with (remote client)	US-PGPUB; USPAT	OR	ON	2003/08/27 14:57

EAST Search History

S77	280	(@ad<"19990630" and database adj management adj system) and client same field	US-PGPUB; USPAT	OR	ON	2003/08/27 14:57
S78	15	(@ad<"19990630" and database adj management adj system) and client same field same organization	US-PGPUB; USPAT	OR	ON	2003/08/27 14:57
S79	156	@ad<"19990630" and database adj management adj system and central\$5 adj database	US-PGPUB; USPAT	OR	ON	2003/08/27 15:13
S80	396	@ad<"19990630" and database adj management adj system and (data record) adj format	US-PGPUB; USPAT	OR	ON	2003/08/27 15:15
S81	444	@ad<"19990630" and database adj management adj system and (data record) adj format	US-PGPUB; USPAT	OR	ON	2003/08/27 15:16
S82	271	(@ad<"19990630" and database adj management adj system and (data record) adj format) and (central server) with (remote client)	US-PGPUB; USPAT	OR	ON	2003/08/27 15:19
S83	17	(@ad<"19990630" and database adj management adj system and (data record) adj format) and (central server) with (remote client) and heterogenous	US-PGPUB; USPAT	OR	ON	2003/08/27 15:20
S84	129	(@ad<"19990630" and database adj management adj system and (data record) adj format) and (central server) with (remote client) and enterprise	US-PGPUB; USPAT	OR	ON	2003/08/27 15:20
S85	512	@ad<"19990630" and airline adj reservation	US-PGPUB; USPAT	OR	ON	2003/08/27 15:25
S86	54	@ad<"19990630" and airline adj reservation and data adj format	US-PGPUB; USPAT	OR	ON	2003/08/27 16:22
S87	95	"5025373".URPN.	USPAT	OR	ON	2003/08/27 15:34
S88	619	@ad<"19990630" and (central with database) same (workstation terminal)	US-PGPUB; USPAT	OR	ON	2003/08/27 15:41
S89	69	@ad<"19990630" and (central with database with controls) same (workstation terminal)	US-PGPUB; USPAT	OR	ON	2003/08/27 15:41
S90	1	"5272625".PN.	USPAT	OR	OFF	2003/08/27 15:46
S91	1	"4354269".PN.	USPAT	OR	OFF	2003/08/27 15:46
S92	1	"4817050".PN.	USPAT	OR	OFF	2003/08/27 15:46
S93	13	"6029160".URPN.	USPAT	OR	ON	2003/08/27 15:51
S94	1	"4803347".PN.	USPAT	OR	OFF	2003/08/27 16:01
S95	1	"4575621".PN.	USPAT	OR	OFF	2003/08/27 16:01

EAST Search History

S96	1	"4545023".PN.	USPAT	OR	OFF	2003/08/27 16:02
S97	6	@ad<"19990630" and storing same database same heterogeneous same central	US-PGPUB; USPAT	OR	ON	2003/08/27 16:09
S98	43	@ad<"19990630" and remote adj (location office) same central adj (server database)	US-PGPUB; USPAT	OR	ON	2003/08/27 16:23
S99	626	database with equation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 07:19
S10 0	202	database with equation with (store\$4 include)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 07:51
S10 1	15	(store\$4 include) adj equation near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 07:26
S10 2	130	constraint adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 07:51
S10 3	130	"constraint database" "constraint databases"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 07:53
S10 4	48	"constraint database" "constraint databases"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/28 08:00
S10 5	2	"5901068".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/28 08:08
S10 6	0	mathematical adj expressions with (store stored) with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/28 08:08

EAST Search History

S10 7	3	mathematical adj (formula expression) with (store stored) with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 08:09
S10 8	2646	database with web with access	US-PGPUB; USPAT	OR	ON	2003/08/28 10:21
S10 9	863	database with web with access with information	US-PGPUB; USPAT	OR	ON	2003/08/28 10:41
S11 0	14	database with web with access with information same central adj database	US-PGPUB; USPAT	OR	ON	2003/08/28 10:24
S11 1	161	(database with web with access with information) and web adj site and @ad<"19991630"	US-PGPUB; USPAT	OR	ON	2003/08/28 10:42
S11 2	1	"5889941".pn.	USPAT	OR	ON	2004/02/11 12:05
S11 3	460	709/236.ccls.	USPAT	OR	ON	2004/02/11 12:15
S11 4	2878637	@ad<"19990630"	US-PGPUB; USPAT	OR	ON	2004/02/11 12:07
S11 5	399	709/236.ccls. and @ad<"19990630"	US-PGPUB; USPAT	OR	ON	2004/02/11 12:07
S11 6	33	(709/236.ccls. and @ad<"19990630") and remote same format	US-PGPUB; USPAT	OR	ON	2004/02/11 12:07
S11 7	362	709/246.ccls. and @ad<"19990630"	USPAT	OR	ON	2004/02/11 12:15
S11 8	157	(709/246.ccls. and @ad<"19990630") and client and server	USPAT	OR	ON	2004/02/11 12:15
S11 9	12249	@ad<"19990630" and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/09/13 13:43
S12 0	145	(@ad<"19990630" and "709"/\$.ccls.) and server same client same data adj format\$5	US-PGPUB; USPAT	OR	ON	2004/09/13 12:39
S12 1	38	(@ad<"19990630" and "709"/\$.ccls.) and server same client same data adj format\$5 same transf\$5	US-PGPUB; USPAT	OR	ON	2004/09/13 13:11
S12 2	1	"5692157".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 12:47
S12 3	15	"5692157".URPN.	USPAT	OR	ON	2004/09/13 12:48

EAST Search History

S12 4	19	(@ad<"19990630" and "709"/\$.ccls.) and server same client same data adj format\$5 same (transf\$5 sent send\$3) near3 server	US-PGPUB; USPAT	OR	ON	2004/09/13 13:12
S12 5	19	((@ad<"19990630" and "709"/\$.ccls.) and server same client same data adj format\$5 same (transf\$5 sent send\$3) near3 server) not "5692157".URPN.	US-PGPUB; USPAT	OR	ON	2004/09/13 13:15
S12 6	8	((@ad<"19990630" and "709"/\$.ccls.) and server same client same data adj format\$5 same (transf\$5 sent send\$3) near3 server) not ((@ad<"19990630" and "709"/\$.ccls.) and server same client same data adj format\$5 same transf\$5)	US-PGPUB; USPAT	OR	ON	2004/09/13 13:15
S12 7	13	("5473143" "5513126" "5594658" "5647002" "5659596" "5675507" "5721827" "5742905" "5802314" "5822526" "5826023" "5848415" "6058422").PN.	USPAT	OR	ON	2004/09/13 13:18
S12 8	157	"5513126".URPN.	USPAT	OR	ON	2004/09/13 13:38
S12 9	38	"5513126".URPN. and data near2 format\$5	USPAT	OR	ON	2004/09/13 13:39
S13 0	2882590	@ad<"19990630"	US-PGPUB; USPAT	OR	ON	2004/09/13 13:43
S13 1	391	@ad<"19990630" and 709/246.ccls.	US-PGPUB; USPAT	OR	ON	2004/09/13 13:43
S13 2	179	(@ad<"19990630" and 709/246.ccls.) and server and client	US-PGPUB; USPAT	OR	ON	2004/09/13 13:43
S13 3	119	(@ad<"19990630" and 709/246.ccls.) and server with specifi\$5	US-PGPUB; USPAT	OR	ON	2004/09/13 13:44
S20 1	2884602	@ad<"19990630"	US-PGPUB; USPAT	OR	ON	2005/03/28 10:38
S20 2	18274	S201 and format near3 (chang\$5 convert\$4)	US-PGPUB; USPAT	OR	ON	2005/03/28 10:39
S20 3	829	S202 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/28 10:39
S20 4	1596	S201 and format near3 (chang\$5 convert\$4) same (office remote database)	US-PGPUB; USPAT	OR	ON	2005/03/28 10:39
S20 5	276	S204 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/28 10:40

EAST Search History

S20 6	824	S201 and format near3 (chang\$5 convert\$4) with (data document file) same (office remote database)	US-PGPUB; USPAT	OR	ON	2005/03/28 10:39
S20 7	178	S206 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/28 10:40
S20 8	1	"5848415".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/01 15:51
S20 9	4129	@ad<"19990630" and database and transform\$5 with data	US-PGPUB; USPAT	OR	ON	2005/10/11 09:57
S21 0	86	@ad<"19990630" and database and transform\$5 with data with (formula mathematical)	US-PGPUB; USPAT	OR	ON	2005/10/11 09:57
S21 1	1	"5,848,415".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/10/11 11:16
S21 2	4	("5692157" "5924077" "5848415" "5025373").pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/04/11 10:29
S21 3	283	@ad<"19990630" and (send\$3 sent transmit\$5) with data near3 format with server	US-PGPUB; USPAT	OR	ON	2006/04/11 14:51
S21 4	35	S213 and "707"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/04/11 12:24
S21 5	24	ssl with step with up	US-PGPUB; USPAT	OR	ON	2006/04/11 12:24
S21 6	8	@ad<"19990630" and automatic\$5 near4 format near4 data with server	US-PGPUB; USPAT	OR	ON	2006/04/11 14:28
S21 7	9	@ad<"19990630" and server near2 encrypts near2 session key near3 public adj key with client	US-PGPUB; USPAT	OR	ON	2006/04/11 16:14
S21 8	4	@ad<"19990630" and client near2 request same server with encrypt\$5 near2 session adj key	US-PGPUB; USPAT	OR	ON	2006/04/11 16:16
S21 9	5	@ad<"19990630" and client near4 request\$3 same server with encrypt\$5 near2 session adj key	US-PGPUB; USPAT	OR	ON	2006/04/11 16:17
S22 0	15	@ad<"19990630" and client near4 request\$3 same server with encrypt\$5 near4 session adj key	US-PGPUB; USPAT	OR	ON	2006/04/11 16:17

EAST Search History

S22 1	3	("5692157".pn. "5924077".pn. "20010011349")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 13:59
S22 2	283	main with remote with office	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S22 3	76	(@ad<"19990630" and centralized adj database) and data adj manage\$4	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S22 4	16	@ad<"19990630" and enterprise with (central\$5 adj database)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/18 17:09
S22 5	40	(((@ad<"19990630" and (database and data adj format and (control\$4 restrict) adj access)) and central) and field) and remote adj database	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S22 6	107	(@ad<"19990630" and database adj management adj system) and (central\$4 adj control)	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S22 7	93	(database with (web website) with access and @ad<"19990630") and (data adj format)	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S22 8	654	@ad<"19990630" and (central with database) same (workstation terminal)	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S22 9	133	@ad<"19990630" and 726/3.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S23 0	130	@ad<"19990630" and 705/42.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/18 17:09
S23 1	89	((@ad<"19990630" and database and data adj manage\$5) and central\$5 with (rule access)) and internet and intranet	US-PGPUB; USPAT	OR	ON	2007/01/18 17:11
S23 2	28	((@ad<"19990630" and 707/10.ccls.) and manag\$5 adj data) and (formula equation)	US-PGPUB; USPAT	OR	ON	2007/01/18 17:11